L Number	Hits	Search Text	DB	Time stamp
-		709/220.ccls. and @ad<20000906	USPAT;	2003/10/22 08:21
1	-	,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
l	7	(709/220.ccls. and @ad<20000906) and	USPAT;	2003/10/21 13:53
	,	((updat\$3 or flash\$3) NEAR5 firmware)	US-PGPUB;	2003, 10, 21 13.33
		(\updacqs of flash\$5) NEARS filliwate)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/10/01 10 50
-	6286	remote NEAR5 management	USPAT;	2003/10/21 13:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3781	remote NEAR5 management and @ad<20000906	USPAT;	2003/10/21 13:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	21	((remote NEAR5 management and @ad<20000906)	USPAT;	2003/10/21 13:54
	21	and (updat\$3 NEAR4 firmware)) not	US-PGPUB;	,, 13.51
1		((709/220.ccls. and @ad<20000906) and	·	
	,		EPO; JPO;	
1		((updat\$3 or flash\$3) NEAR5 firmware))	DERWENT;	
			IBM_TDB	/ /
-	622	' ' 	USPAT;	2003/10/21 14:52
		@ad-20000906	US-PGPUB	
-	49	(((updat\$3 or flash\$3) NEAR4 firmware) and	USPAT;	2003/10/22 14:58
		@ad<20000906) and (boot NEAR3 device)	US-PGPUB	
-	3	l	USPAT	2003/10/21 15:26
-	4	'	USPAT	2003/10/21 15:28
_	5	l 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	USPAT;	2003/10/21 15:47
		@ad<20000906) and (network NEAR3 boot)	US-PGPUB	,,,
_	1	I	USPAT;	2003/10/21 15:48
-	1		US-PGPUB	2003,10,21 13.40
		@ad<20000906) and ("MAC")) and (network	US-FGFUB	
		NEAR8 boot)	HODAM	2002/10/22 14:40
-	59	[· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/10/22 14:40
		@ad<20000906) and ("MAC")	US-PGPUB	
-	52	(network NEAR2 management) NEAR5 ("MAC") and	USPAT;	2003/10/21 15:59
		@ad<20000906	US-PGPUB	
	7596	(network NEAR2 management) and @ad<20000906	USPAT;	2003/10/21 15:59
			US-PGPUB	
-	11	((network NEAR2 management) and	USPAT;	2003/10/22 14:22
		@ad<20000906) and ((organiz\$3 or sort\$3 or	US-PGPUB	
		distinguish\$3) NEAR4 ("MAC" adj address))		
_	434	(network NEAR5 boot) and @ad<20000906	USPAT;	2003/10/22 08:22
	154	/	US-PGPUB;	, ,
			EPO; JPO;	
j				
			DERWENT;	
		//	IBM_TDB	2002/10/22 00:22
-	75		USPAT;	2003/10/22 08:23
		firmware	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
ļ			IBM_TDB	
-	66	boot adj network	USPAT;	2003/10/22 08:23
		.,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	
		(heat add notwert) and end-passage		2003/10/22 09:12
-	31	(boot adj network) and @ad<20000906	USPAT;	2003/10/22 09:12
			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
	1		IBM_TDB	
-	6	((network NEAR5 boot) and @ad<20000906) and	USPAT;	2003/10/22 08:44
1		(updat\$3 NEAR3 firmware)	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	3	("5452454" "5623604" "5870610").PN.		2003/10/22 08:42

Search History 10/23/03 1:10:00 PM Page 1

C:\APPS\EAST\Workspaces\656140.wsp



-	3	(US-5870610-\$ or US-5623604-\$ or US-5452454-\$).did.	USPAT	2003/10/22 08:44
-	1	(("5452454" "5623604" "5870610").PN.) and (network NEAR5 boot)	USPAT; US-PGPUB;	2003/10/22 08:58
			EPO; JPO; DERWENT; IBM TDB	
_	4	6266809.URPN.	USPAT	2003/10/22 08:45
-		(US-6581159-\$ or US-6487718-\$ or US-6601212-\$ or US-6446203-\$).did.	USPAT	2003/10/22 08:46
-	1	((US-6581159-\$ or US-6487718-\$ or US-6601212-\$ or US-6446203-\$).did.) and (network NEAR5 boot)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/22 08:46
-	23	(change or update or modify) NEAR5 (boot adj (sequence or order)) and @ad<20000906	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/22 09:07
-	2	remote NEAR10 (change or update or modify) NEAR5 (boot adj (sequence or order)) and @ad<20000906	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 09:07
-	4	<pre>(chang\$3 or updat\$3 or modify\$3) NEAR6 (boot adj (sequence or order or device or network)) NEAR5 remote\$2</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/22 09:17
-	5	(remote\$2 or (server adj side)) NEAR8 (set\$3 or updat\$3 or modify\$3 or chang\$3) NEAR5 (boot adj (device or sequence or order or image)) and @ad<20000906	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/22 09:33
-	469	(remote\$2 NEAR8 boot) and @ad<20000906	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/22 09:33
-	16	(remote\$2 NEAR8 (boot adj (sequence or order or device))) and @ad<20000906	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/22 09:34
-	22	(remote NEAR5 management and @ad<20000906) and (updat\$3 NEAR4 firmware)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/22 10:44
-	1	(validat\$3 NEAR6 (boot adj image\$1) NEAR7 (operating adj system\$1)) and @ad<20000906	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/22 10:45
-	134	(validat\$3 NEAR6 (operating adj system\$1)) and @ad<20000906	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/22 11:21
-	0	((validat\$3 NEAR6 (operating adj system\$1)) and @ad<20000906) and (certificate adj file)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/22 10:49
-	9	((validat\$3 NEAR6 (operating adj system\$1)) and @ad<20000906) and certificate	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/22 10:49
-	1	5421006.pn.	IBM_TDB USPAT; US-PGPUB	2003/10/22 11:18

			_	
-	2047	(validat\$3 NEAR6 (program or software)) and @ad<20000906	USPAT; US-PGPUB;	2003/10/22 11:24
			EPO; JPO; DERWENT; IBM TDB	
-	4	((validat\$3 NEAR6 (program or software)) and @ad<20000906) and (certificate adj file)	USPAT; US-PGPUB;	2003/10/22 11:22
		addizerous and (certificate adj fife)	EPO; JPO; DERWENT;	
-	143	((validat\$3 NEAR6 (program or software)) and @ad<20000906) and certificate	IBM_TDB USPAT;	2003/10/22 11:23
		(wad<20000906) and certificate	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	14	((validat\$3 NEAR6 (program or software)) NEAR5 certificate) and @ad<20000906	USPAT; US-PGPUB;	2003/10/22 11:24
		Marks ceretificate, and saddensons	EPO; JPO; DERWENT;	
-	2	(network adj management) same (register\$3 NEAR6 (MAC adj address\$2)) and @ad<20000906	IBM_TDB USPAT; US-PGPUB	2003/10/22 13:19
	0		USPAT; US-PGPUB	2003/10/22 13:33
-	0	(psuedo adj program) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 13:35
-	1	and @ad<20000906	USPAT; US-PGPUB	2003/10/22 13:35
_	1	false) adj program) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 13:35
-	35		USPAT; US-PGPUB	2003/10/22 13:43
-	374	program) and @ad<20000906	USPAT; US-PGPUB USPAT;	2003/10/22 13:43
-	339	<pre>program) and @ad<20000906) not ((pseudo adj program) and @ad<20000906)</pre>	US-PGPUB	
-	277	@ad<20000906	USPAT; US-PGPUB	2003/10/22 13:44
-	242	(((pseudo or fake or false) adj program) and @ad<20000906) not ((pseudo adj program) and @ad<20000906)	USPAT; US-PGPUB	2003/10/22 14:16
-	9	NEAR6 (MAC adj address)) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 14:28
-	0	NEAR6 (MAC adj address)) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 14:27
_	7	address) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 14:29
	5	NEAR6 (MAC adj address) and @ad<20000906	USPAT; US-PGPUB USPAT;	2003/10/22 14:29
_	232	same(MAC adj address) and @ad<20000906	US-PGPUB USPAT;	2003/10/22 14:30
_	9	(multiple NEAR3 computer\$1) and @ad<20000906 ((updat\$3 or configur\$3 or chang\$3) NEAR6	US-PGPUB USPAT;	2003/10/22 14:42
		(multiple NEAR3 computer\$1) and @ad<20000906) AND (MAC)	US-PGPUB	
-	118	@ad<20000906) and (boot NEAR3 device)	USPAT; US-PGPUB	2003/10/22 15:00
	61	(boot NEAR3 device)	USPAT; US-PGPUB	2003/10/22 15:02
_	7	@ad<20000906	USPAT; US-PGPUB USPAT;	2003/10/22 15:03
_	3	NEAR5 (MAC) and @ad<20000906	US-PGPUB USPAT;	2003/10/23 10:35
_	1211	and @ad<20000906	US-PGPUB USPAT;	2003/10/23 10:47
_	6	(maintenance NEAR7 request\$3 and	US-PGPUB USPAT;	2003/10/23 10:45
		@ad<20000906) and (MAC adj address)	US-PGPUB	

-	109	the state of the s	USPAT;	2003/10/23 10:46
		@ad<20000906) and (unique NEAR4	US-PGPUB	
	52	identification)	HCDAM.	2002/10/22 10 45
_	52	computer NEAR10 (maintenance NEAR7 request\$3) and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:47
_	15		USPAT;	2003/10/23 10:50
		request\$3) and @ad<20000906) and (unique	US-PGPUB	-000, 10, 25 10.50
		NEAR8 (identifier or information or		
		identification or name))		
-	0	(transfer and transfer transf	USPAT;	2003/10/23 10:53
		NEAR4 (identifier or information or name or	US-PGPUB	
	1	identification)) and @ad<20000906 (help adj desk) NEAR8 software NEAR8 unique	USPAT;	2003/10/23 10:52
	_	and @ad<20000906	US-PGPUB	2003/10/23 10:32
-	79	(help adj desk) NEAR8 software and	USPAT;	2003/10/23 10:52
		@ad<20000906	US-PGPUB	
-	28	((help adj desk) NEAR8 software and	USPAT;	2003/10/23 10:53
	_	@ad<20000906) and MAC	US-PGPUB	/
-	0	((help adj desk) NEAR8 software and	USPAT;	2003/10/23 10:53
_		@ad<20000906) and (MAC adj address) (help adj desk) NEAR8 (MAC adj address) and	US-PGPUB USPAT;	2003/10/23 10:53
		@ad<20000906	US-PGPUB	2003/10/23 10:33
-	0	(help adj desk) same (MAC adj address) and	USPAT;	2003/10/23 10:54
		@ad<20000906	US-PGPUB	
-	0	(USPAT;	2003/10/23 10:56
	1	address) and @ad<20000906	US-PGPUB	2002/10/22 10:55
-	. 0	(computer adj maintenance) NEAR7 request\$3 NEAR5 ("MAC") and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:55
_	0	(remote NEAR5 maintenance) NEAR8 ("MAC" adj	USPAT;	2003/10/23 10:55
		address) and @ad<20000906	US-PGPUB	2003, 20, 23 20.33
_	3	(computer adj maintenance) NEAR7 request\$3	USPAT;	2003/10/23 10:55
		and @ad<20000906	US-PGPUB	
-	0	(remote NEAR5 maintenance) NEAR8 (computer	USPAT;	2003/10/23 10:57
_	1520	adj name) and @ad<20000906 (remote NEAR5 maintenance) and @ad<20000906	US-PGPUB USPAT;	2003/10/23 11:04
	1520	(Temote NEARS maintenance) and wadvectors	US-PGPUB	2003/10/23 11:04
_	102	((remote NEAR5 maintenance) and	USPAT;	2003/10/23 10:57
		@ad<20000906) and ((computer adj name) or	US-PGPUB	
		(unique NEAR4 identifier))		
-	4335	((computer or network) NEAR5 maintenance) and @ad<20000906	USPAT; US-PGPUB	2003/10/23 11:04
_	370	(((computer or network) NEAR5 maintenance)	USPAT;	2003/10/23 11:05
	3,0	and @ad<20000906) and ((computer adj name)	US-PGPUB	
		or (unique NEAR4 identifier))		
-	107	(((computer or network) NEAR5 maintenance)	USPAT;	2003/10/23 11:10
	_	and @ad<20000906) and ("MAC" adj address)	US-PGPUB	0000/10/00 11 55
-	0	((transmitting or sending) NEAR6 ("MAC" adj address)) NEAR8 maintenance and @ad<20000906	USPAT;	2003/10/23 11:11
_	0	· ·	US-PGPUB USPAT;	2003/10/23 11:11
	1	address)) same maintenance and @ad<20000906	US-PGPUB	2005, 20, 25 11.11
-	33	((transmitting or sending) NEAR6 ("MAC" adj	USPAT;	2003/10/23 11:14
		address)) and maintenance and @ad<20000906	US-PGPUB	
-	114		USPAT;	2003/10/23 11:15
	_	address)) and maintenance and @ad<20000906	US-PGPUB	2002/10/22 13 15
-	3	((transmitting or sending) NEAR6 ("IP" adj address)) NeAR8 maintenance and	USPAT; US-PGPUB	2003/10/23 11:15
		@ad<20000906	00 10100	
-	3		USPAT;	2003/10/23 11:15
		address)) same maintenance and @ad<20000906	US-PGPUB	
-	114		USPAT;	2003/10/23 11:18
	1205	address)) and maintenance and @ad<20000906	US-PGPUB	2002/10/22 11:10
-	1205	709/223.ccls. and @ad<20000906	USPAT; US-PGPUB	2003/10/23 11:18
-	343	(709/223.ccls. and @ad<20000906) and	USPAT;	2003/10/23 11:19
		maintenance	US-PGPUB	, ,
-	180	((709/223.ccls. and @ad<20000906) and	USPAT;	2003/10/23 11:20
	2.5	maintenance) and unique	US-PGPUB	2002/10/22 13 22
-	26	(709/223.ccls. and @ad<20000906) and (maintenance NEAR5 request)	USPAT;	2003/10/23 11:20
L	L	(maintenance NEARS request)	US-PGPUB	